

**STERILE CONTAINER SYSTEMS**




**Dental, Mini & Special Model**






















LARGE DENTAL MODEL CONTAINER



W: 255 mm


L: 380 mm



Specifications		Lid (Perforated)	
			
Height	h: 115 mm	Box (Non Perforated)	
			<b>K6-1600</b>
<b>K6-1601</b>			
<b>K6-1602</b>			
<b>K6-1603</b>			
<b>K6-1604</b>			
	<b>K6-1605</b>		
	<b>K6-1606</b>		
	<b>K6-1607</b>		
	<b>K6-1608</b>		
	<b>K6-1609</b>		
	<b>K6-1610</b>		
	<b>K6-1611</b>		
	<b>K6-1612</b>		
	<b>K6-1613</b>		
	<b>K6-1614</b>		
	<b>K6-1615</b>		
	<b>K6-1616</b>		
	<b>K6-1617</b>		

Ps: All container measurements cover the outer size of the lids.

**BOX** (non perforated)



code	outside dimension	inside dimension	weight
<b>K6-1665</b>	380 x 244 h:100 mm	330 x 234 h:94 mm	1370 g
<b>K6-1666</b>	380 x 244 h:116 mm	330 x 234 h:112 mm	1465 g
<b>K6-1667</b>	380 x 244 h:138 mm	330 x 234 h:130 mm	1542 g

**PERFORATED LIDS**



code	color	weight
<b>K6-1680</b>		835 g
<b>K6-1681</b>		
<b>K6-1682</b>		
<b>K6-1683</b>		
<b>K6-1684</b>		
<b>K6-1685</b>		

Dimension: 380 x 255 mm

**LID-BARRIER SYSTEM**




code	color	weight
<b>K7-1680</b>		969 g
<b>K7-1681</b>		
<b>K7-1682</b>		
<b>K7-1683</b>		
<b>K7-1684</b>		
<b>K7-1685</b>		

Dimension: 380 x 255 mm

STANDARD MODEL	29
BIO-BARRIER MODEL	63
Polymers PPSU Lids	97
WINDOW MODEL	119
B <sub>3</sub> Barrier MODEL	139
PLASMA MODEL	173
A1 MODEL	185
Dental, Mini, Special	205
BASKETS	223
Autolock Mechanism Emulating Indicator	243
ACCESSORIES	251

**BASKET MADE FROM STAINLESS STEEL WIRE MESH**

**WIRE BASKET**




code	outside dimension
<b>K3-2000</b>	323 x 222 h:50 mm
<b>K3-2001</b>	323 x 222 h:70 mm
<b>K3-2002</b>	323 x 222 h:100 mm

**WIRE BASKET WITH LID**



code	outside dimension
<b>K3-2010</b>	323 x 222 h:55 mm
<b>K3-2011</b>	323 x 222 h:75 mm
<b>K3-2012</b>	323 x 222 h:105 mm
<b>K3-2013</b>	ONLY LID, for baskets

**SILICONE MAT**



**K2-532**  
280 x 200 mm

**DISPOSAL STAMP**



**K2-717**  
40 x 35 x 9 mm  
Requested number or letter must be informed during the order.

**LABEL HOLDER**



**K2-716**  
50 x 35 x 13 mm  
Holder for identification labels

**PAPER FILTER**




**K2-740**  
Single use 100 pcs with indicator. Aygun mark.  
• Diameter: 184 mm

**TEFLON FILTER**



**K2-742**  
Number of sterilization cycle > 2000  
• Diameter: 194 mm

**FILTER DISPENSER**




**K2-730**

**IDENTIFICATION LABELS (aluminium)**




**K2-700** (Red)  
**K2-701** (Blue)  
**K2-702** (Green)  
**K2-703** (Yellow)  
**K2-704** (Grey)  
**K2-705** (Black)

**LABELS (paper)**



**K2-673**  
100 pcs. With indicator.

**LABELS (paper)**



**K2-672**  
100 pcs. With indicator.

**SECURITY SEAL (blue)**



**K2-663**  
100 pcs. with indicator.  
made of plastic

**SECURITY SEAL (blue)**



**K2-664**  
100 pcs. made of plastic

**SECURITY SEAL (blue)**



**K2-661**  
100 pcs. with number.  
made of plastic

**SECURITY SEAL (red)**



**K2-662**  
100 pcs. with indicator.  
made of plastic

**SECURITY SEAL (red)**



**K2-660**  
100 pcs. made of plastic

**SECURITY SEAL (red)**








**K2-665**  
100 pcs. with number.  
made of plastic

BASKET MADE FROM STAINLESS STEEL SHEET


BASKET (with stand)



	code	outside dimension
Box and Lid 	<b>K3-774</b>	320 x 220 h:63 mm
	<b>K3-775</b>	320 x 220 h:83 mm
	<b>K3-776</b>	320 x 220 h:113 mm
Box 	<b>K3-771</b>	315 x 215 h:60 mm
	<b>K3-772</b>	315 x 215 h:80 mm
	<b>K3-773</b>	315 x 215 h:110 mm
Lid 	<b>K3-770</b>	ONLY LID, for baskets



STAND




code	height
<b>K3-767</b>	20 mm

STAND



code	height
<b>K3-768</b>	10 mm

STAND



code	height
<b>K3-766</b>	5 mm

IDENTIFICATION (aluminium)

LABEL HOLDER



code	color
<b>K2-560</b>	Red
<b>K2-561</b>	Blue
<b>K2-562</b>	Green
<b>K2-563</b>	Yellow
<b>K2-564</b>	Grey
<b>K2-565</b>	Black

LABELS



code	color
<b>K2-570</b>	Red
<b>K2-571</b>	Blue
<b>K2-572</b>	Green
<b>K2-573</b>	Yellow
<b>K2-574</b>	Grey
<b>K2-575</b>	Black

Coloured identification labels  
Engraved to your specification




⦿ Grey colored recommended for use in Sterrad.  
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

STANDARD MODEL	29
BIO-BARRIER MODEL	63
Polymer's PPSU Lids	97
WINDOW MODEL	119
B <sub>3</sub> Barrier MODEL	139
PLASMA MODEL	173
A1 MODEL	185
Dental, Mini, Special	205
BASKETS	223
Autolock Mechanism Emulating Indicator	243
ACCESSORIES	251

Specifications		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	Lid (with barrier)	Lid (with barrier)
Sizes		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Non Perforated)	Box (with barrier)
		325 X 192 X 55 mm	 <b>K6-1800</b> <b>K6-1801</b> <b>K6-1802</b> <b>K6-1803</b> <b>K6-1804</b> <b>K6-1805</b>	<b>K6-1820</b> <b>K6-1821</b> <b>K6-1822</b> <b>K6-1823</b> <b>K6-1824</b> <b>K6-1825</b>	<b>K6-1840</b> <b>K6-1841</b> <b>K6-1842</b> <b>K6-1843</b> <b>K6-1844</b> <b>K6-1845</b>	<b>K7-1800</b> <b>K7-1801</b> <b>K7-1802</b> <b>K7-1803</b> <b>K7-1804</b> <b>K7-1805</b>
325 X 190 X 70 mm	 <b>K6-1806</b> <b>K6-1807</b> <b>K6-1808</b> <b>K6-1809</b> <b>K6-1810</b> <b>K6-1811</b>	<b>K6-1826</b> <b>K6-1827</b> <b>K6-1828</b> <b>K6-1829</b> <b>K6-1830</b> <b>K6-1831</b>	<b>K6-1846</b> <b>K6-1847</b> <b>K6-1848</b> <b>K6-1849</b> <b>K6-1850</b> <b>K6-1851</b>	<b>K7-1806</b> <b>K7-1807</b> <b>K7-1808</b> <b>K7-1809</b> <b>K7-1810</b> <b>K7-1811</b>	<b>K7-1826</b> <b>K7-1827</b> <b>K7-1828</b> <b>K7-1829</b> <b>K7-1830</b> <b>K7-1831</b>	
325 X 190 X 135 mm	 <b>K6-1812</b> <b>K6-1813</b> <b>K6-1814</b> <b>K6-1815</b> <b>K6-1816</b> <b>K6-1817</b>	<b>K6-1832</b> <b>K6-1833</b> <b>K6-1834</b> <b>K6-1835</b> <b>K6-1836</b> <b>K6-1837</b>	<b>K6-1852</b> <b>K6-1853</b> <b>K6-1854</b> <b>K6-1855</b> <b>K6-1856</b> <b>K6-1857</b>	<b>K7-1812</b> <b>K7-1813</b> <b>K7-1814</b> <b>K7-1815</b> <b>K7-1816</b> <b>K7-1817</b>	<b>K7-1832</b> <b>K7-1833</b> <b>K7-1834</b> <b>K7-1835</b> <b>K7-1836</b> <b>K7-1837</b>	

Ps: All container measurements cover size of filter based lids.

**WIRE BASKET (with lid)**




code	outside dimension
<b>K3-611</b>	270 x 175 x h:45 mm

**WIRE BASKET**




code	outside dimension
<b>K3-1070</b>	270 x 170 x h:45 mm

**STORAGE FRAME**




code	outside dimension
<b>K3-609</b>	273 x 180 x 13 mm

**SILICONE MAT**



code	outside dimension
<b>K2-529</b>	260 x 180 mm

**DRAPE RETAINER**




code	outside dimension
<b>K3-610</b>	277 x 175 mm

**FILTERS**



code **K3-612**  
Dimension: 165 x 235 mm  
Single use **paper filter** 100 pcs.  
With indicator, Aygun mark.




code **K3-615**  
Dimension: 165 x 235 mm  
Single use **paper filter** 100 pcs.  
With indicator, No marking.



code **K2-743**  
Dimension: 150 x 233 mm  
**Teflon Filter**  
Number of sterilization cycle > 2000

**PERFORATED BOTTOMS**



code	<b>K6-1860</b>
outside dimension	320 x 186 x h <sup>1</sup> :43 mm
inside dimension	278 x 184 x h <sup>2</sup> :28 mm
weight	493 g



code	<b>K6-1861</b>
outside dimension	320 x 186 x h <sup>1</sup> :58 mm
inside dimension	278 x 184 x h <sup>2</sup> :46 mm
weight	535 g




code	<b>K6-1863</b>
outside dimension	320 x 186 x h <sup>1</sup> :102 mm
inside dimension	278 x 184 x h <sup>2</sup> :93 mm
weight	658 g



code	<b>K6-1862</b>
outside dimension	320 x 186 x h <sup>1</sup> :122 mm
inside dimension	278 x 184 x h <sup>2</sup> :110 mm
weight	745 g

**SOLID BOTTOMS**



code	<b>K6-1865</b>
outside dimension	320 x 186 x h <sup>1</sup> :43 mm
inside dimension	278 x 184 x h <sup>2</sup> :38 mm
weight	355 g



code	<b>K6-1866</b>
outside dimension	320 x 186 x h <sup>1</sup> :59 mm
inside dimension	278 x 184 x h <sup>2</sup> :54 mm
weight	415 g



code	<b>K6-1868</b>
outside dimension	320 x 186 x h <sup>1</sup> :102 mm
inside dimension	278 x 184 x h <sup>2</sup> :98 mm
weight	560 g



code	<b>K6-1867</b>
outside dimension	320 x 186 x h <sup>1</sup> :122 mm
inside dimension	278 x 184 x h <sup>2</sup> :118 mm
weight	634 g

**PERFORATED LIDS**



code	color	weight
<b>K6-1880</b>		638 g
<b>K6-1881</b>		
<b>K6-1882</b>		
<b>K6-1883</b>		
<b>K6-1884</b>		
<b>K6-1885</b>		

Dimension: 325 x 192 mm

**REMOVAL LIDS (non perforated)**



code	color	weight
<b>K6-1870</b>		516 g
<b>K6-1871</b>		
<b>K6-1872</b>		
<b>K6-1873</b>		
<b>K6-1874</b>		
<b>K6-1875</b>		

Dimension: 325 x 192 mm

**BIO-BARRIER LIDS**




























































code	color	weight
<b>K7-1880</b>		862 g
<b>K7-1881</b>		
<b>K7-1882</b>		
<b>K7-1883</b>		
<b>K7-1884</b>		
<b>K7-1885</b>		

Dimension: 325 x 192 mm

STANDARD MODEL	29
BIO-BARRIER MODEL	63
Polymers PPSU Lids	97
WINDOW MODEL	119
B <sub>3</sub> Barrier MODEL	139
PLASMA MODEL	173
A1 MODEL	185

Dental, Mini, Special	205
BASKETS	223
Autolock Mechanism Emulating Indicator	243
ACCESSORIES	251

Specifications →		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
<b>Sizes</b> 232 X 174 X 63 mm 232 X 174 X 100 mm 232 X 174 X 130 mm		<b>K6-1500</b>  <b>K6-1501</b>  <b>K6-1502</b>  <b>K6-1503</b>  <b>K6-1504</b>  <b>K6-1505</b> 	<b>K6-1520</b>  <b>K6-1521</b>  <b>K6-1522</b>  <b>K6-1523</b>  <b>K6-1524</b>  <b>K6-1525</b> 	<b>K6-1540</b>  <b>K6-1541</b>  <b>K6-1542</b>  <b>K6-1543</b>  <b>K6-1544</b>  <b>K6-1545</b> 
		<b>K6-1506</b>  <b>K6-1507</b>  <b>K6-1508</b>  <b>K6-1509</b>  <b>K6-1510</b>  <b>K6-1511</b> 	<b>K6-1526</b>  <b>K6-1527</b>  <b>K6-1528</b>  <b>K6-1529</b>  <b>K6-1530</b>  <b>K6-1531</b> 	<b>K6-1546</b>  <b>K6-1547</b>  <b>K6-1548</b>  <b>K6-1549</b>  <b>K6-1550</b>  <b>K6-1551</b> 
		<b>K6-1512</b>  <b>K6-1513</b>  <b>K6-1514</b>  <b>K6-1515</b>  <b>K6-1516</b>  <b>K6-1517</b> 	<b>K6-1532</b>  <b>K6-1533</b>  <b>K6-1534</b>  <b>K6-1535</b>  <b>K6-1536</b>  <b>K6-1537</b> 	<b>K6-1552</b>  <b>K6-1553</b>  <b>K6-1554</b>  <b>K6-1555</b>  <b>K6-1556</b>  <b>K6-1557</b> 

Ps: All container measurements cover the outer size of the lids.

**WIRE BASKET (with lid)**




code	outside dimension
<b>K2-995</b>	175 x 153 x h:45 mm

**WIRE BASKET**




code	outside dimension
<b>K3-1079</b>	175 x 144 x h:30 mm

**STORAGE FRAME**




code	outside dimension
<b>K3-608</b>	170 x 140 mm

**SILICONE MAT**



code	outside dimension
<b>K2-519</b>	160 x 135 mm


**DRAPE RETAINER**



code	outside dimension
<b>K3-607</b>	170 x 140 mm



**PERFORATED BOTTOMS**



code	<b>K6-1560</b>
outside dimension	227 x 162 x h <sup>1</sup> :57 mm
inside dimension	190 x 158 x h <sup>2</sup> :40 mm
weight	386 g




code	<b>K6-1561</b>
outside dimension	227 x 162 x h <sup>1</sup> :88 mm
inside dimension	190 x 158 x h <sup>2</sup> :80 mm
weight	463 g



code	<b>K6-1562</b>
outside dimension	227 x 162 x h <sup>1</sup> :122 mm
inside dimension	190 x 158 x h <sup>2</sup> :110 mm
weight	525 g

**SOLID BOTTOMS**



code	<b>K6-1565</b>
outside dimension	227 x 162 x h <sup>1</sup> :57 mm
inside dimension	190 x 158 x h <sup>2</sup> :48 mm
weight	233 g



code	<b>K6-1566</b>
outside dimension	227 x 162 x h <sup>1</sup> :88 mm
inside dimension	190 x 158 x h <sup>2</sup> :88 mm
weight	325 g




code	<b>K6-1567</b>
outside dimension	227 x 162 x h <sup>1</sup> :122 mm
inside dimension	190 x 158 x h <sup>2</sup> :118 mm
weight	382 g

**FILTERS**



code **K2-781**  
Dimension: 130 x 130 mm  
Single use **paper filter** 100 pcs.  
With indicator, Aygun mark.



code **K2-780**  
Dimension: 130 x 130 mm  
Single use **paper filter** 100 pcs.  
With indicator, No marking.




code **K2-782**  
Dimension: 130 x 130 mm  
**Teflon Filter**  
Number of sterilization cycle > 2000

**PERFORATED LIDS**

code	color	weight
<b>K6-1570</b>		488 g
<b>K6-1571</b>		
<b>K6-1572</b>		
<b>K6-1573</b>		
<b>K6-1574</b>		
<b>K6-1575</b>		


Dimension: 232 x 174 mm

































































































**REMOVAL LIDS (non perforated)**


code	color	weight
<b>K6-1580</b>		360 g
<b>K6-1581</b>		
<b>K6-1582</b>		
<b>K6-1583</b>		
<b>K6-1584</b>		
<b>K6-1585</b>		

Dimension: 232 x 174 mm




STANDARD MODEL	29
BIO-BARRIER MODEL	63
Polymers PPSU Lids	97
WINDOW MODEL	119
B <sub>3</sub> Barrier MODEL	139
PLASMA MODEL	173
A1 MODEL	185
Dental, Mini, Special	205
BASKETS	223
Autolock Mechanism Emulating Indicator	243
ACCESSORIES	251

Specifications 		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	Lid (with barrier)	Lid (with barrier)
						
Sizes 		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Non Perforated)	Box (with barrier)
	315 X 142 X 45 mm 	<b>K6-1900</b> 	<b>K6-1920</b> 	<b>K6-1940</b> 	<b>K7-1900</b> 	N/A
<b>K6-1901</b> 		<b>K6-1921</b> 	<b>K6-1941</b> 	<b>K7-1901</b> 		
<b>K6-1902</b> 		<b>K6-1922</b> 	<b>K6-1942</b> 	<b>K7-1902</b> 		
<b>K6-1903</b> 		<b>K6-1923</b> 	<b>K6-1943</b> 	<b>K7-1903</b> 		
<b>K6-1904</b> 		<b>K6-1924</b> 	<b>K6-1944</b> 	<b>K7-1904</b> 		
<b>K6-1905</b> 		<b>K6-1925</b> 	<b>K6-1945</b> 	<b>K7-1905</b> 		
315 X 142 X 70 mm 	<b>K6-1906</b> 	<b>K6-1926</b> 	<b>K6-1946</b> 	<b>K7-1906</b> 	<b>K7-1926</b> 	
	<b>K6-1907</b> 	<b>K6-1927</b> 	<b>K6-1947</b> 	<b>K7-1907</b> 	<b>K7-1927</b> 	
	<b>K6-1908</b> 	<b>K6-1928</b> 	<b>K6-1948</b> 	<b>K7-1908</b> 	<b>K7-1928</b> 	
	<b>K6-1909</b> 	<b>K6-1929</b> 	<b>K6-1949</b> 	<b>K7-1909</b> 	<b>K7-1929</b> 	
	<b>K6-1910</b> 	<b>K6-1930</b> 	<b>K6-1950</b> 	<b>K7-1910</b> 	<b>K7-1930</b> 	
	<b>K6-1911</b> 	<b>K6-1931</b> 	<b>K6-1951</b> 	<b>K7-1911</b> 	<b>K7-1931</b> 	
315 X 142 X 100 mm 	<b>K6-1912</b> 	<b>K6-1932</b> 	<b>K6-1952</b> 	<b>K7-1912</b> 	<b>K7-1932</b> 	
	<b>K6-1913</b> 	<b>K6-1933</b> 	<b>K6-1953</b> 	<b>K7-1913</b> 	<b>K7-1933</b> 	
	<b>K6-1914</b> 	<b>K6-1934</b> 	<b>K6-1954</b> 	<b>K7-1914</b> 	<b>K7-1934</b> 	
	<b>K6-1915</b> 	<b>K6-1935</b> 	<b>K6-1955</b> 	<b>K7-1915</b> 	<b>K7-1935</b> 	
	<b>K6-1916</b> 	<b>K6-1936</b> 	<b>K6-1956</b> 	<b>K7-1916</b> 	<b>K7-1936</b> 	
	<b>K6-1917</b> 	<b>K6-1937</b> 	<b>K6-1957</b> 	<b>K7-1917</b> 	<b>K7-1937</b> 	

 Ps: All container measurements cover size of filter based lids.

**WIRE BASKET (with lid)**



code	outside dimension
<b>K2-993</b>	268 x 127 x h:47 mm

**WIRE BASKET**




code	outside dimension
<b>K3-1073</b>	268 x 117 x h:50 mm

**WIRE BASE**




code	outside dimension
<b>K2-992</b>	270 x 125 mm

**SILICONE MAT**



code	outside dimension
<b>K2-520</b>	275 x 125 mm

**DRAPE RETAINER**



code	outside dimension
<b>K2-990</b>	270 x 125 mm


**PORTABLE CARRIER (for small containers)**



code	<b>K2-991</b>
Width	325 mm
Height	328 mm
Depth	145 mm

Wire suspenders, adjustable as required. Adjusting key of suspender is included.

**PERFORATED BOTTOMS**



code	<b>K6-1960</b>
outside dimension	315 x 132 x h <sup>1</sup> :32 mm
inside dimension	273 x 128 x h <sup>2</sup> :18 mm
weight	338 g




code	<b>K6-1961</b>
outside dimension	315 x 132 x h <sup>1</sup> :63 mm
inside dimension	273 x 128 x h <sup>2</sup> :48 mm
weight	432 g



code	<b>K6-1962</b>
outside dimension	315 x 132 x h <sup>1</sup> :92 mm
inside dimension	273 x 128 x h <sup>2</sup> :78 mm
weight	523 g

**SOLID BOTTOMS**



code	<b>K6-1965</b>
outside dimension	315 x 132 x h <sup>1</sup> :32 mm
inside dimension	273 x 128 x h <sup>2</sup> :30 mm
weight	232 g



code	<b>K6-1966</b>
outside dimension	315 x 132 x h <sup>1</sup> :63 mm
inside dimension	273 x 128 x h <sup>2</sup> :58 mm
weight	315 g




code	<b>K6-1967</b>
outside dimension	315 x 132 x h <sup>1</sup> :92 mm
inside dimension	273 x 128 x h <sup>2</sup> :90 mm
weight	419 g

**FILTERS**



code	<b>K2-760</b>
Dimension:	230 x 120 mm
Single use	paper filter 100 pcs.
With indicator,	Aygun mark.



code	<b>K2-761</b>
Dimension:	230 x 120 mm
Single use	paper filter 100 pcs.
With indicator,	No marking.



code	<b>K2-744</b>
Dimension:	215 x 100 mm
Teflon Filter	Number of sterilization cycle > 2000

**PERFORATED LIDS**



code	color	weight
<b>K6-1970</b>		513 g
<b>K6-1971</b>		
<b>K6-1972</b>		
<b>K6-1973</b>		
<b>K6-1974</b>		
<b>K6-1975</b>		

Dimension: 315 x 140 mm

**REMOVAL LIDS (non perforated)**



code	color	weight
<b>K6-1980</b>		412 g
<b>K6-1981</b>		
<b>K6-1982</b>		
<b>K6-1983</b>		
<b>K6-1984</b>		
<b>K6-1985</b>		

Dimension: 315 x 140 mm


















































**BIO-BARRIER LIDS**



code	color	weight
<b>K7-1970</b>		686 g
<b>K7-1971</b>		
<b>K7-1972</b>		
<b>K7-1973</b>		
<b>K7-1974</b>		
<b>K7-1975</b>		

Dimension: 315 x 142 mm

STANDARD MODEL	29
BIO-BARRIER MODEL	63
Polymer's PPSU Lids	97
WINDOW MODEL	119
B <sub>3</sub> Barrier MODEL	139
PLASMA MODEL	173
A1 MODEL	185
Dental, Mini, Special	205
BASKETS	223
Autolock Mechanism Emulating Indicator	243
ACCESSORIES	251

Specifications		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)	Lid (with barrier)	Lid (with barrier)
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Non Perforated)	Box (with barrier)
<b>Sizes</b> 297 X 280 X 75 mm 	<b>K6-1710</b>  <b>K6-1711</b>  <b>K6-1712</b>  <b>K6-1713</b>  <b>K6-1714</b>  <b>K6-1715</b> 	<b>K6-1730</b>  <b>K6-1731</b>  <b>K6-1732</b>  <b>K6-1733</b>  <b>K6-1734</b>  <b>K6-1735</b> 	<b>K6-1750</b>  <b>K6-1751</b>  <b>K6-1752</b>  <b>K6-1753</b>  <b>K6-1754</b>  <b>K6-1755</b> 	<b>K7-1710</b>  <b>K7-1711</b>  <b>K7-1712</b>  <b>K7-1713</b>  <b>K7-1714</b>  <b>K7-1715</b> 	N/A	
	<b>K6-1716</b>  <b>K6-1717</b>  <b>K6-1718</b>  <b>K6-1719</b>  <b>K6-1720</b>  <b>K6-1721</b> 	<b>K6-1736</b>  <b>K6-1737</b>  <b>K6-1738</b>  <b>K6-1739</b>  <b>K6-1740</b>  <b>K6-1741</b> 	<b>K6-1756</b>  <b>K6-1757</b>  <b>K6-1758</b>  <b>K6-1759</b>  <b>K6-1760</b>  <b>K6-1761</b> 	<b>K7-1716</b>  <b>K7-1717</b>  <b>K7-1718</b>  <b>K7-1719</b>  <b>K7-1720</b>  <b>K7-1721</b> 		


Ps: All container measurements cover the outer size of the lids.

**WIRE BASKET**



code	outside dimension
<b>K2-490</b>	246 x 246 x h:30 mm
<b>K2-491</b>	246 x 246 x h:50 mm

**SILICONE MAT**



code	outside dimension
<b>K2-521</b>	250 x 235 mm

**WIRE BASE**



code	outside dimension
<b>K2-482</b>	255 x 255 x 30 mm

**PAPER FILTER**



code	outside dimension
<b>K2-740</b>	Diameter 184 mm


Single use 100 pcs with indicator. Aygun mark.

**DRAPE RETAINER**



code	outside dimension
<b>K2-480</b>	255 x 255 mm


**PAPER FILTER**



code	outside dimension
<b>K2-741</b>	Diameter 184 mm

Single use 100 pcs with indicator. No marking.

**DRAPE RETAINER**



code	outside dimension
<b>K2-481</b>	255 x 255 x 30 mm


**TEFLON FILTER**



code	outside dimension
<b>K2-742</b>	Diameter 194 mm

Number of sterilization cycle > 2000

**PERFORATED BOTTOMS**




code	<b>K6-1770</b>
outside dimension	295 x 270 x h <sup>1</sup> :60 mm
inside dimension	258 x 260 x h <sup>2</sup> :40 mm
weight	771 g



code	<b>K6-1771</b>
outside dimension	295 x 270 x h <sup>1</sup> :72 mm
inside dimension	258 x 260 x h <sup>2</sup> :52 mm
weight	789 g

**SOLID BOTTOMS**



code	<b>K6-1775</b>
outside dimension	295 x 270 x h <sup>1</sup> :60 mm
inside dimension	258 x 260 x h <sup>2</sup> :56 mm
weight	614 g



code	<b>K6-1776</b>
outside dimension	295 x 270 x h <sup>1</sup> :72 mm
inside dimension	258 x 260 x h <sup>2</sup> :66 mm
weight	697 g

**PERFORATED LIDS**



code	color	weight
<b>K6-1780</b>		720 g
<b>K6-1781</b>		
<b>K6-1782</b>		
<b>K6-1783</b>		
<b>K6-1784</b>		
<b>K6-1785</b>		

Dimension: 292 x 280 mm

**REMOVAL LIDS (non perforated)**



code	color	weight
<b>K6-1790</b>		617 g
<b>K6-1791</b>		
<b>K6-1792</b>		
<b>K6-1793</b>		
<b>K6-1794</b>		
<b>K6-1795</b>		

Dimension: 292 x 280 mm

**BIO-BARRIER LIDS**



code	color	weight
<b>K7-1780</b>		965 g
<b>K7-1781</b>		
<b>K7-1782</b>		
<b>K7-1783</b>		
<b>K7-1784</b>		
<b>K7-1785</b>		

Dimension: 292 x 280 mm

**SAFETY LIDS**



code	color	weight
<b>K6-1418</b>		630 g
<b>K6-1419</b>		
<b>K6-1420</b>		
<b>K6-1421</b>		
<b>K6-1422</b>		
<b>K6-1423</b>		

**BIO-BARRIER SAFETY LID**



code	color	weight
<b>K7-1418</b>		670 g
<b>K7-1419</b>		
<b>K7-1420</b>		
<b>K7-1421</b>		
<b>K7-1422</b>		
<b>K7-1423</b>		

STANDARD MODEL  
29

BIO-BARRIER MODEL  
63

Polymer's PPSU Lids  
97

WINDOW MODEL  
119

B<sub>3</sub> Barrier MODEL  
139

PLASMA MODEL  
173

A1 MODEL  
185



Dental, Mini, Special  
205


BASKETS  
223


Autolock Mechanism Emulating Indicator  
243


ACCESSORIES  
251


ENDO MODEL CONTAINER





color	Specifications	code	outside dimension
	Lid (Perforated)	<b>K6-1400</b>	535 x 160 h:75 mm
	Box (Perforated)	<b>K6-1406</b>	535 x 160 h:100 mm
	Lid (Perforated)	<b>K6-1412</b>	535 x 160 h:75 mm
	Box (Non Perforated)	<b>K6-1432</b>	535 x 160 h:100 mm


color	Specifications	code	outside dimension
	Lid (Perforated)	<b>K6-1401</b>	535 x 160 h:75 mm
	Box (Perforated)	<b>K6-1407</b>	535 x 160 h:100 mm
	Lid (Perforated)	<b>K6-1413</b>	535 x 160 h:75 mm
	Box (Non Perforated)	<b>K6-1433</b>	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	<b>K6-1402</b>	535 x 160 h:75 mm
	Box (Perforated)	<b>K6-1408</b>	535 x 160 h:100 mm
	Lid (Perforated)	<b>K6-1414</b>	535 x 160 h:75 mm
	Box (Non Perforated)	<b>K6-1434</b>	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	<b>K6-1403</b>	535 x 160 h:75 mm
	Box (Perforated)	<b>K6-1409</b>	535 x 160 h:100 mm
	Lid (Perforated)	<b>K6-1415</b>	535 x 160 h:75 mm
	Box (Non Perforated)	<b>K6-1435</b>	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	<b>K6-1404</b>	535 x 160 h:75 mm
	Box (Perforated)	<b>K6-1410</b>	535 x 160 h:100 mm
	Lid (Perforated)	<b>K6-1416</b>	535 x 160 h:75 mm
	Box (Non Perforated)	<b>K6-1436</b>	535 x 160 h:100 mm

color	Specifications	code	outside dimension
	Lid (Perforated)	<b>K6-1405</b>	535 x 160 h:75 mm
	Box (Perforated)	<b>K6-1411</b>	535 x 160 h:100 mm
	Lid (Perforated)	<b>K6-1417</b>	535 x 160 h:75 mm
	Box (Non Perforated)	<b>K6-1437</b>	535 x 160 h:100 mm



**PERFORATED BOTTOMS**



code	outside dimension	weight
<b>K6-1100</b>	528 x 145 h:66 mm	676 g
<b>K6-1101</b>	528 x 145 h:88 mm	786 g

**SOLID BOTTOMS**



code	outside dimension	weight
<b>K6-1105</b>	528 x 145 h:66 mm	668 g
<b>K6-1106</b>	528 x 145 h:88 mm	778 g

**PERFORATED LIDS**



Dimension: 532 x 160 mm

code	color	weight
<b>K6-1000</b>		795 g
<b>K6-1001</b>		
<b>K6-1002</b>		
<b>K6-1003</b>		
<b>K6-1004</b>		
<b>K6-1005</b>		

**FILTERS**



code **K2-760**

Dimension: 230 x 120 mm  
Single use **paper filter** 100 pcs.  
With indicator, Aygun mark.



code **K2-761**


Dimension: 230 x 120 mm  
Single use **paper filter** 100 pcs.  
With indicator, No marking.



code **K2-744**

Dimension: 215 x 100 mm  
**Teflon Filter**  
Number of sterilization cycle > 2000


**LABELS (paper)**



**K2-673**

100 pcs. With indicator.

**LABELS (paper)**



**K2-672**

100 pcs. With indicator.

**IDENTIFICATION LABELS (aluminium)**



**K2-700**

**K2-701**


**K2-702**

**K2-703**


**K2-704**

**K2-705**

**BASKET (with stand)**



code	outside dimension
<b>K3-1054</b>	492 x 134 x 55 mm
<b>K3-1055</b>	492 x 134 x 65 mm



**TRAY LAPAROSCOPY**







































**PPSU**  
Polymer



color	code	outside dimension
Grey	<b>KP-1398Z</b>	505 x 80 x 80 mm
	<b>KP-1399Z</b>	505 x 155 x 80 mm
Yellow	<b>KP-1400Z</b>	505 x 80 x 80 mm
	<b>KP-1401Z</b>	505 x 155 x 80 mm
Blue	<b>KP-1402Z</b>	505 x 80 x 80 mm
	<b>KP-1403Z</b>	505 x 155 x 80 mm
Red	<b>KP-1404Z</b>	505 x 80 x 80 mm
	<b>KP-1405Z</b>	505 x 155 x 80 mm
Black	<b>KP-1406Z</b>	505 x 80 x 80 mm
	<b>KP-1407Z</b>	505 x 155 x 80 mm
Transparent	<b>KP-1408Z</b>	505 x 80 x 80 mm
	<b>KP-1409Z</b>	505 x 155 x 80 mm

STANDARD MODEL	29
BIO-BARRIER MODEL	63
Polymer's PPSU Lids	97
WINDOW MODEL	119
B <sub>3</sub> Barrier MODEL	139
PLASMA MODEL	173
A1 MODEL	185
Dental, Mini, Special	205
BASKETS	223
Autolock Mechanism Emulating Indicator	243
ACCESSORIES	251







































**IMPLANT MODEL CONTAINERS**

<b>Specifications</b>		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
<b>Sizes</b> 300 X 150 X 75 mm		<b>K5-010</b> 	<b>K5-022</b> 	<b>K5-034</b> 
		<b>K5-011</b> 	<b>K5-023</b> 	<b>K5-035</b> 
		<b>K5-012</b> 	<b>K5-024</b> 	<b>K5-036</b> 
		<b>K5-013</b> 	<b>K5-025</b> 	<b>K5-037</b> 
		<b>K5-014</b> 	<b>K5-026</b> 	<b>K5-038</b> 
		<b>K5-015</b> 	<b>K5-027</b> 	<b>K5-039</b> 
<b>Sizes</b> 500 X 170 X 75 mm		<b>K5-016</b> 	<b>K5-028</b> 	<b>K5-040</b> 
		<b>K5-017</b> 	<b>K5-029</b> 	<b>K5-041</b> 
		<b>K5-018</b> 	<b>K5-030</b> 	<b>K5-042</b> 
		<b>K5-019</b> 	<b>K5-031</b> 	<b>K5-043</b> 
		<b>K5-020</b> 	<b>K5-032</b> 	<b>K5-044</b> 
		<b>K5-021</b> 	<b>K5-033</b> 	<b>K5-045</b> 



Ps: All container measurements cover the outer size of the lids.

**MINI IMPLANT MODEL CONTAINERS**



<b>Specifications</b>		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
<b>Sizes</b> 160 X 72 X 57 mm		<b>K5-200</b> 	<b>K5-212</b> 	<b>K5-224</b> 
		<b>K5-201</b> 	<b>K5-213</b> 	<b>K5-225</b> 
		<b>K5-202</b> 	<b>K5-214</b> 	<b>K5-226</b> 
		<b>K5-203</b> 	<b>K5-215</b> 	<b>K5-227</b> 
		<b>K5-204</b> 	<b>K5-216</b> 	<b>K5-228</b> 
		<b>K5-205</b> 	<b>K5-217</b> 	<b>K5-229</b> 
<b>Sizes</b> 200 X 147 X 57 mm		<b>K5-206</b> 	<b>K5-218</b> 	<b>K5-230</b> 
		<b>K5-207</b> 	<b>K5-219</b> 	<b>K5-231</b> 
		<b>K5-208</b> 	<b>K5-220</b> 	<b>K5-232</b> 
		<b>K5-209</b> 	<b>K5-221</b> 	<b>K5-233</b> 
		<b>K5-210</b> 	<b>K5-222</b> 	<b>K5-234</b> 
		<b>K5-211</b> 	<b>K5-223</b> 	<b>K5-235</b> 



Ps: All container measurements cover the outer size of the lids.



SCOPY MODEL CONTAINERS

<div style="writing-mode: vertical-rl; transform: rotate(180deg);">                     Sizes                 </div>	Specifications	Lid (Perforated)	Lid (Perforated)
		Box (Non Perforated)	Box (Perforated)
260 X 70 X 60 mm		K5-060 K5-061 K5-062 K5-063 K5-064 K5-065	K5-072 K5-073 K5-074 K5-075 K5-076 K5-077
455 X 80 X 70 mm		K5-066 K5-067 K5-068 K5-069 K5-070 K5-071	K5-078 K5-079 K5-080 K5-081 K5-082 K5-083

Ps: All container measurements cover the outer size of the lids.



STANDARD MODEL

29

BIO-BARRIER MODEL

63

Polymer's PPSU Lids

97

WINDOW MODEL

119

B<sub>3</sub> Barrier MODEL

139

PLASMA MODEL

173

A1 MODEL

185

Dental, Mini, Special

205

BASKETS

223

Autolock Mechanism Emulating Indicator



243

ACCESSORIES


251

No filter

SCOPY MODEL CONTAINERS (with silicon holders)

<div style="writing-mode: vertical-rl; transform: rotate(180deg);">                     Sizes                 </div>	Specifications	Lid (Perforated)	Lid (Perforated)
		Box (Non Perforated)	Box (Perforated)
275 X 70 X 65 mm		K5-100 K5-101 K5-102 K5-103 K5-104 K5-105	K5-115 K5-116 K5-117 K5-118 K5-119 K5-120
470 X 82 X 74 mm		K5-106 K5-107 K5-108 K5-109 K5-110 K5-111	K5-121 K5-122 K5-123 K5-124 K5-125 K5-126

Ps: All container measurements cover the outer size of the lids.



## BRUSH MODEL CONTAINERS



Container for brush 280 x 293 x 85 mm  
With wall mounting fixtures,  
Maximum 20 brushes can be stored in container  
In order to take the brush, please move the handle under  
the container to right or left direction.

